

YOU WILL NEED

- Assorted pallet wood
 Hammer, nails, pliers, screws and a pair of sturdy gloves
- Skill saw or drop saw and an electric screwdriver
- Sandpaper and sugar soap
- Paint brushes, paint trays and a long-pile roller suitable for rough and textured surfaces

Walls: 10 litres in a neutral shade of the waterborne Resene Zylone Sheen (we used Resene Rice Cake from Resene's Whites & Neutrals

Joinery: 1-2 litres Resene SpaceCote Low Sheen waterborne enamel in the same colour as the walls

Accents: Testpots or 1 litre each of Resene SpaceCote Low Sheen waterborne enamel in various shades of your choice

Step 1 Using gloves, pliers and hammer, pull the pallets apart and remove any nails.

Step 2 Use lengths of pallet wood to cover any holes and to frame rough but paintable surfaces. Using the skill saw, cut timber strips to shape and nail or screw them onto your feature wall. For larger areas (such as the bottom of the wall, left) consider using entire pallet sides.

Step 3 Prepare walls and joinery for painting by lightly sanding them as necessary. Sweep away any dust and wash all surfaces using hot water and vour favourite cleaner.

Step 4 Minimise the impact of ugly walls and joinery by painting them in the same neutral shade (we used Resene Rice Cake from Resene's Whites & Neutrals chart).

Step 5 Add accent colours by lightly painting selected boards on your feature wall and on wooden boxes and furniture. We used Resene Serenity

and Resene Wild Thing on the walls, Resene Serenity on the chair, and Resene Wild Thing, Resene Flourish and Resene Koru for the three beer crates.





and is full of character. Just allow time to pull your pallets apart!



Call 0800 RESENE (737 363) visit www.resene.co.nz or email advice@resene.co.nz





Get the look

Enjoying
rustic style
doesn't mean
compromising
on comfort with
linen sheets,
broadside wool
throw and striped
cushion covers
from Izzy and Jean,
www.izzyandjean.co.nz

