NB.This chart is from the Resene historical file. Please refer to current

Resene colour charts for the latest colour options

EFOWA



Charcoal



Tao Grey



Karaka



Landscape Green



Milford Green



Redwood



Cedar



Pepperwood



Barn Red



Crown Timber Colour is a 100% acrylic low sheen self-sealing exterior finish for use on fences, pergolas and decking. No primer is required except over bare metal. Available in a range of colours perfect for the great outdoors.

Quick Tips:

- Timber decking and close tight grained timbers must be sanded to rough finish to obtain correct key.
- If timber to be painted is exhibiting sap staining or excessive tannin bleeding then it should be primed with Resene Wood Primer (see Data Sheet D40).
- Apply two coats at 12-14 square metres per litre by brush, roller or spray.
- Do not apply coating in thick coats otherwise drying and curing may be affected.
- Touch dry in 30 minutes, recoat after 2 hours.
- Can be reduced with up to 5% clean water or Resene Hot Weather Additive if required. Keep thinning to a minimum.

For a premium finish try Resene Lumbersider satin acrylic (see Resene Data Sheet D34) available in thousands of colours from the Resene Total Colour System.



the paint the professionals use

For further painting advice and information:

In New Zealand:

Resene Paints Limited
Vogel Street, Lower Hutt, PO Box 38-242,
Wellington Mail Centre
Phone (04) 577 0500 Fax (04) 577 0600
Email advice@resene.co.nz or visit www.resene.co.nz

In Australia:

Resene Paints (Aust) Limited
7 Production Ave, PO Box 785,
Ashmore City, Queensland, 4214
Phone 1800 738 383 Fax 1800 064 960
Email advice@resene.com.au or visit www.resene.com.au