

Safety Data Sheet

SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	Sandtex Mediterranean effect
Other Names	Product Code: 703, 704
Recommended Use	Water borne acrylic, textured wall paint.
Company Name	Resene Paints (Australia) Limited.
Address	7 Production Avenue Molendinar, Queensland 4214.
Emergency Tel	1800 738 383 Available Monday – Friday, 8:00 a.m. – 5:00 p.m.
Phone	07 3287 0222
Fax	07 3287 0226

SECTION 2. HAZARDS IDENTIFICATION

Hazard Classification	Non-Hazardous Substance. Non-Dangerous Goods. According to the criteria of Safe Work Australia and ADG Code Hazardous according to NZ HSNO 6.5B 9.1C
Hazard Statements	Not assigned.
Precautionary Statements	Wash thoroughly after handling.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion %
	Water	7732-18-5	10 - < 30
	Acrylic resin	Proprietary	10 - < 30
	Fungicides	Mixture	< 1
	Terpines	Mixture	< 1
	Proprietary ingredients	Mixture	Balance

SECTION 4. FIRST AID MEASURES

Swallowed	If swallowed dilute by giving two glasses of water to drink. DO NOT induce vomiting. Never give anything by mouth to an unconscious person.
Eye	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation occurs: Get medical advice/attention.
Skin	Remove all contaminated clothing and wash before re-use. Rinse skin with water.
Inhaled	Provide fresh air; give oxygen or artificial respiration if breathing is laboured.
First Aid Facilities	Safety shower and eye wash facility.
Aggravated medical conditions caused by exposure.	Can be irritating to skin with repeated or prolonged contact. May cause sensitization by skin contact in some individuals. May aggravate existing skin conditions.
Chronic Health Effects	None anticipated with this product.

SECTION 5. FIRE FIGHTING MEASURES

Extinguisher	No restrictions apply. Use an extinguisher suitable for the surrounding area.
Hazards from combustion products	Oxides of Carbon and Nitrogen.
Special protective precautions and equipment for fire fighters	Material can splatter above 100°C. Polymer film can burn. Do not allow contaminants and water from fire fighting to enter drains or water course.
Hazchem code	Not Specified

SECTION 6. ACCIDENTAL RELEASE MEASURES

Emergency procedures	In confined areas wear protective equipment. Keep spectators away and avoid breathing dust or vapours. Floor may be slippery, use care to avoid falling.
Methods and materials for containment and clean up.	<p>Minor spills Contain and absorb small quantities with vermiculate or other absorbent material. Wipe up. Collect residues in a waste container.</p> <p>Major spills Prevent, by any means available, spillage from entering drains or water course. Contain spill with sand, earth or vermiculite. Transfer liquid to containers for recovery or disposal.</p>

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling	Avoid damaging containers. Keep lids on containers when not in use. People handling this product should wash their hands and face before eating and/or smoking. Handle containers carefully to prevent damage and/or spillage.
Conditions for safe storage including any incompatibilities	Storage temperatures: Max: 40°C, Min: 1°C. Avoid excessive changes in temperature. Avoid storing with strong oxidisers, acids and alkalis

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National exposure standards for mixture	From the NOHSC "Exposure Standards for Atmospheric Contaminants in the Occupational Environment" Refer www.nohsc.gov.au/OHSInformation/publications		
Component	Breathing Zone (TWA) ppm	Breathing Zone (TWA) mg/m³	Mixture conc. (%)
Biological Limit Values	No biological limit allocated		
Engineering Controls	Use in a well ventilated area. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in special circumstances. If risk of overexposure exists, wear an approved respirator.		
Personal Protective Equipment			
Eyes.	Safety glasses with side shields; or as required, goggles.		
Hands/Feet	Wear chemical protective gloves. Wear safety footwear.		

Other Overalls
Eyewash unit

Respirator In a well ventilated area and spray booths that maintain vapour levels below the recommended standards, no respiratory equipment is required.
In confined spaces, or areas with limited ventilation where any exposure standard may be exceeded, wear a suitable respirator. AS/NZS 1716.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Coloured, viscous liquid
Odour	Mild ammonia odour
pH	8 – 10
Vapour pressure	> 17 @ 20°C
Vapour density	> 1
Boiling point	100°C
Melting Point	0°C
Solubility	Can be diluted with water
Density	1.58 – 1.59 Kg/L

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	Product is considered stable under normal storage and handling conditions.
Conditions to avoid	Presence of incompatible materials.
Incompatible materials	Strong oxidisers, acids and alkalis.
Hazardous decomposition products	Oxides of carbon and nitrogen, and smoke.
Hazardous reactions	Hazardous polymerisation will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information for this product is not available. Reference is made, where possible, to the individual constituents.

Acute Health Effects:

Inhaled.

None expected.

Skin Contact.

Can be irritating to skin with repeated or prolonged contact.

Swallowed:

May cause irritation to the mouth, throat, oesophagus, and stomach with nausea, abdominal discomfort, vomiting and diarrhoea.

Eye:

May cause eye irritation, tearing, stinging, blurred vision and redness.

Chronic Health Effects:

May cause sensitization by skin contact in some individuals.

SECTION 12. ECOLOGICAL INFORMATION

No data available for this product.

This product should not be allowed to enter drains or water courses.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods and containers	Consult State Land Waste Management Authority for disposal.
Special precautions for landfill or incineration	Incinerate residue at an approved site. Recycle containers if possible, or dispose of in an approved landfill.

SECTION 14. TRANSPORT INFORMATION

UN Number	Not specified
UN Proper shipping name	Water Based Paint. Non Hazardous.
Class	Not restricted
Subsidiary risk	None
Packing Group	N.O.S.
Hazchem Code	Not specified.

SECTION 15. REGULATORY INFORMATION

Poison Schedule	Not scheduled
------------------------	---------------

SECTION 16. OTHER INFORMATION

Date of Preparation: 13th March 2013

Supersedes: 18th May 2010

Literature references.

MSDS's for individual raw materials.

NZ SDS for this product.

Abbreviations:

NOHSC	National Occupational Health and Safety Commission
ADG	Australian Code for the Transport of Dangerous Goods by Road & Rail.
TWA	Time weighted average
STEL	Short term exposure limit
CAS Number	Chemical Abstract Service registry number

Safety data sheets are updated frequently. Please ensure that you have a current copy.

The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use hereof. Resene Paints (Australia) Limited assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material, Such users or vendors assume all risks associated with the use of the material. It is the users' responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The user must determine whether the use of the information and data is in accordance with local laws and regulations.

END OF SDS