Resene Paints (Australia) Limited

Version No: 3.4

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 07/09/2022 Print Date: 14/09/2022 L.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier	
Product name	RESENE WALK- ON
Synonyms	Incl White, Mid, Ultra Deep, Clear bases
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

11205, 11206, 11207, 11208 Relevant identified uses

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Resene Paints (Australia) Limited	Resene Paints Ltd
Address	7 Production Avenue, Molendinar Queensland 4214 Australia	32-50 Vogel Street Wellington New Zealand
Telephone	+61 7 55126600	+64 4 577 0500
Fax	+61 7 55126697	+64 4 5773327
Website	www.resene.com.au	www.resene.co.nz
Email	Not Available	advice@resene.co.nz

Emergency telephone number

Association / Organisation	AUSTRALIAN POISONS CENTRE	NZ POISONS (24hr 7 days)	CHEMWATCH EMERGENCY RESPONSE
Emergency telephone numbers	131126	0800 764766	+61 1800 951 288
Other emergency telephone numbers	Not Available	Not Available	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification ^[1]	Hazardous to the Aquatic Environment Long-Term Hazard Category 3
Legend	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements	
Hazard pictogram(s)	Not Applicable
Signal word Not Applicable	
Hazard statement(s)	
H412	Harmful to aquatic life with long lasting effects.

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P273 Avoid release to the environment.

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
68131-40-8	0.1-0.5	alcohols C11-15 secondary ethoxylated
25265-77-4	1-5	2.2.4-trimethyl-1.3-pentanediol monoisobutyrate
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of	first aid measures	

Eye Contact	 If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

Alcohol stable foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
----------------------	--

Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.	
Fire/Explosion Hazard	 Non combustible. Burning release: carbon dioxide (CO2) other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes. 	
HAZCHEM	Not Applicable	

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Control personal contact with the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean- up.
	Remove all ignition sources.

Environmental hazard - contain spillage.

Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear appropriate personnel protective equipment and clothing to prevent exposure. Avoid breathing in mists or vapours and skin or eyes contact. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Major Spills

Precautions for safe handling Safe handling	 Avoid unnecessary personal contact, including inhalation. DO NOT allow clothing wet with material to stay in contact with skin
Other information	Store in original containers.
Conditions for safe storage, inc	sluding any incompatibilities

Suitable container	As supplied by manufacturer
Storage incompatibility	► Strong oxidisers

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	13 mg/m3	140 mg/m3		840 mg/m3
Ingredient	Original IDLH		Revised IDLH	
alcohols C11-15 secondary ethoxylated	Not Available		Not Available	
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available		Not Available	

Occupational Exposure Banding			
Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
alcohols C11-15 secondary ethoxylated	E	≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

1,2-Benzisothiazoline-3-one (BIT) produces sensitising effects and causes skin irritation at concentrations of 0.05%.

CEL TWA: 0.1 mg/m3; STEL 0.3 mg/m3 total isothiazolinones (Rohm and Haas)

(CEL = Chemwatch Exposure Limit)

for diuron:

Exposures at or below the recommended TLV-TWA is thought to protect the worker from the significant risk of anaemia and methaemoglobinaemia associated with use of the product. for propylene glycol:

Saturated vapour concentration @ 20 deg C.= 65.8 ppm, 204.6 mg/m3; i.e higher concentrations can only occur as aerosols or at higher temperatures.

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	Safety glasses with side shields.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. NOTE: The material may produce skin sensitisation in predisposed individuals. For esters: Do NOT use natural rubber, butyl rubber, EPDM or polystyrene-containing materials.

	The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.
Body protection	Overalls

Respiratory protection

Not usually required. Where the concentration of vapours in the breathing zone approaches or exceeds the "Exposure Standards" respiratory protection is required. Type A Filter of sufficient capacity.

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Acrylic dispersion		
Physical state	Liquid	Relative density (Water = 1)	1.03-1.32
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8.5-9.5	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	1020-1440
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available BuAC = 1	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	60
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	<60

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	▶ stable.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). The main effects of simple aliphatic esters are narcosis and irritation and anaesthesia at higher concentrations.
Ingestion	Ingestion of propylene glycol produced reversible central nervous system depression in humans following ingestion of 60 ml. The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. Isothiazolinones are moderately to highly toxic by oral administration.

Eye	Although the liquid is not thought to be an irritant (as characterised by tearing or conjunctival redness (as Solutions containing isothiazolinones may produce c	with windburn).	
Chronic	Practical experience shows that skin contact with the individuals, and/or of producing a positive response i		a sensitisation reaction in a substantial number of
RESENE WALK- ON	TOXICITY IRRITATION		
	Not Available	Not Available	
	ΤΟΧΙCΙΤΥ	IRRITATION	
alaahala C11 15 aaaandaru	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observ	ved (not irritating) ^[1]
alcohols C11-15 secondary ethoxylated	Oral (Rat) LD50; >=2000 mg/kg ^[1]	Skin (rabbit): 500 mg(open) m	
		Skin: no adverse effect obser	
	ΤΟΧΙΟΙΤΥ	IRRITATION	
	dermal (guinea pig) LD50: >19 mg/kg ^[2]	Eye: no adverse effect of	bserved (not irritating) ^[1]
,2,4-trimethyl-1,3-pentanediol	Oral (Rat) LD50; >3200 mg/kg ^[2]	Eyes - Moderate irritant	
monoisobutyrate		Skin - Slight irritant *	
		Skin (rabbit): mild ***	
		Skin: no adverse effect o	bserved (not irritating) ^[1]
Legend:	 Value obtained from Europe ECHA Registered Su specified data extracted from RTECS - Register of To 		ained from manufacturer's SDS. Unless otherwise
Legend:	specified data extracted from RTECS - Register of To The following information refers to contact allergens	Toxic Effect of chemical Substances as a group and may not be specific to t	this product.
Legend: RESENE WALK- ON	specified data extracted from RTECS - Register of To	Toxic Effect of chemical Substances as a group and may not be specific to t hydrolysed to their component alcohol:	his product. s and carboxylic acids in the intestinal tract, blood a
	Specified data extracted from RTECS - Register of To The following information refers to contact allergens Generally,linear and branched-chain alkyl esters are most tissues throughout the body.	Toxic Effect of chemical Substances as a group and may not be specific to t hydrolysed to their component alcohol- v, and large quantities are required to ca d polyethylene glycols, are highly susce oxylates through a variety of industrial a classified as Irritant or Harmful dependi and R41 (Risk of serious damage to eye wallowed) - R38/41 i) with R36/38 (Irritating to eyes and skin sus substances of the Council Directive orbed through the skin of guinea pigs ar hylene- and tetraethylene glycol ethers) triethylene glycol ether (TGBE), triethyl of absorption in skin of these three glyco	this product. s and carboxylic acids in the intestinal tract, blood a ause perceptible health damage in humans. ptible towards air oxidation as the ether oxygens w and consumer products such as soaps, detergents, ng on the number of EO-units: es) n) . 67/548/EEC nd rats and through the gastrointestinal mucosa of p: lene glycol methyl ether (TGME), and triethylene of ethers is 22 to 34 micrograms/cm2/hr, with the
RESENE WALK- ON	 specified data extracted from RTECS - Register of Tage The following information refers to contact allergens Generally,linear and branched-chain alkyl esters are most tissues throughout the body. The acute oral toxicity of propylene glycol is very low Polyethers, for example, ethoxylated surfactants and stabilize intermediary radicals involved. Human beings have regular contact with alcohol ethoxylates are according to CESIO (2000) ot EO < 5 gives Irritant (Xi) with R38 (Irritating to skin) at EO > 15-20 gives Harmful (Xn) with R22-(Harmful if still > 20 EO is not classified (CESIO 2000) Oxo-AE, C13 EO10 and C13 EO15, are Irritating (Xi) AE are not included in Annex 1 of the list of dangeror In general, alcohol ethoxylates (AE) are readily absorats. For high boiling ethylene glycol ethers (typically triett Skin absorption: Available skin absorption data for glycol ethylene ether (TGEE) suggest that the rate of the start of t	Toxic Effect of chemical Substances as a group and may not be specific to t hydrolysed to their component alcohol: v, and large quantities are required to ca d polyethylene glycols, are highly susce oxylates through a variety of industrial a classified as Irritant or Harmful dependi and R41 (Risk of serious damage to eye wallowed) - R38/41 with R36/38 (Irritating to eyes and skin ous substances of the Council Directive orbed through the skin of guinea pigs ar hylene- and tetraethylene glycol ethers) triethylene glycol ether (TGBE), triethyl of absorption in skin of these three glyco t and the butyl ether having the lowest. an) *** Ames Test: negative *** Micronu rat *** * [SWIFT] ** [Eastman] *** [Perst ged contact causing inflammation.	this product. s and carboxylic acids in the intestinal tract, blood a ause perceptible health damage in humans. ptible towards air oxidation as the ether oxygens w and consumer products such as soaps, detergents, ng on the number of EO-units: es) n) . 67/548/EEC nd rats and through the gastrointestinal mucosa of p: lene glycol methyl ether (TGME), and triethylene el ethers is 22 to 34 micrograms/cm2/hr, with the cleus, mouse: negative *** Not mutagenic *** No op]
RESENE WALK- ON ALCOHOLS C11-15 SECONDARY ETHOXYLATED 2,2,4-TRIMETHYL- 1,3-PENTANEDIOL	 specified data extracted from RTECS - Register of Tage 5 The following information refers to contact allergens Generally,linear and branched-chain alkyl esters are most tissues throughout the body. The acute oral toxicity of propylene glycol is very low Polyethers, for example, ethoxylated surfactants and stabilize intermediary radicals involved. Human beings have regular contact with alcohol ethox and other cleaning products . Alcohol ethoxylates are according to CESIO (2000) c EO < 5 gives Irritant (Xi) with R38 (Irritating to skin) at EO > 5-15 gives Harmful (Xn) with R22 (Harmful if st EO > 15-20 gives Harmful (Xn) with R22 (Harmful if st EO > 15-20 gives Harmful (Xn) with R22 (Harmful (XI) AE are not included in Annex 1 of the list of dangeror In general, alcohol ethoxylates (AE) are readily absortas. For high boiling ethylene glycol ethers (typically triett Skin absorption: Available skin absorption data for glycol ethylene ether (TGEE) suggest that the rate of methyl ether having the highest permeation constant Not a skin sensitiser (guinea pig, Magnusson-Kligma effects on fertility or foetal development seen in ther The material may be irritating to the eye, with prolong 	Toxic Effect of chemical Substances as a group and may not be specific to t hydrolysed to their component alcohol: v, and large quantities are required to ca d polyethylene glycols, are highly susce oxylates through a variety of industrial a classified as Irritant or Harmful dependi and R41 (Risk of serious damage to eye wallowed) - R38/41 with R36/38 (Irritating to eyes and skin ous substances of the Council Directive orbed through the skin of guinea pigs ar hylene- and tetraethylene glycol ethers) triethylene glycol ether (TGBE), triethyl of absorption in skin of these three glyco t and the butyl ether having the lowest. an) *** Ames Test: negative *** Micronu rat *** * [SWIFT] ** [Eastman] *** [Perst ged contact causing inflammation.	this product. s and carboxylic acids in the intestinal tract, blood is ause perceptible health damage in humans. ptible towards air oxidation as the ether oxygens w and consumer products such as soaps, detergents ing on the number of EO-units: es) n) . 67/548/EEC and rats and through the gastrointestinal mucosa of b: lene glycol methyl ether (TGME), and triethylene el ethers is 22 to 34 micrograms/cm2/hr, with the cleus, mouse: negative *** Not mutagenic *** No op]
RESENE WALK- ON ALCOHOLS C11-15 SECONDARY ETHOXYLATED 2,2,4-TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE	 specified data extracted from RTECS - Register of Terminal System of Terminal Sy	Toxic Effect of chemical Substances as a group and may not be specific to t hydrolysed to their component alcohol: v, and large quantities are required to ca d polyethylene glycols, are highly susce oxylates through a variety of industrial a classified as Irritant or Harmful dependi and R41 (Risk of serious damage to eye wallowed) - R38/41 with R36/38 (Irritating to eyes and skin bus substances of the Council Directive brobed through the skin of guinea pigs ar hylene- and tetraethylene glycol ethers) triethylene glycol ether (TGBE), triethyl of absorption in skin of these three glyco t and the butyl ether having the lowest. an) *** Ames Test: negative *** Micronu rat **** [SWIFT] ** [Eastman] *** [Perst ged contact causing inflammation.	this product. s and carboxylic acids in the intestinal tract, blood is ause perceptible health damage in humans. ptible towards air oxidation as the ether oxygens we and consumer products such as soaps, detergents ng on the number of EO-units: es) n) . 67/548/EEC and rats and through the gastrointestinal mucosa of p: lene glycol methyl ether (TGME), and triethylene of ethers is 22 to 34 micrograms/cm2/hr, with the cleus, mouse: negative *** Not mutagenic *** No op] ce a contact dermatitis (nonallergic).
RESENE WALK- ON ALCOHOLS C11-15 SECONDARY ETHOXYLATED 2,2,4-TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE Acute Toxicity	specified data extracted from RTECS - Register of Terminal System o	Toxic Effect of chemical Substances as a group and may not be specific to t hydrolysed to their component alcohol: v, and large quantities are required to ca d polyethylene glycols, are highly susce oxylates through a variety of industrial a classified as Irritant or Harmful dependi and R41 (Risk of serious damage to eye wallowed) - R38/41 with R36/38 (Irritating to eyes and skii ous substances of the Council Directive orbed through the skin of guinea pigs ar hylene- and tetraethylene glycol ethers) triethylene glycol ether (TGBE), triethyl of absorption in skin of these three glyco t and the butyl ether having the lowest. an) *** Ames Test: negative *** Micronu- rat *** * [SWIFT] ** [Eastman] *** [Perst ged contact causing inflammation. d or repeated exposure and may produ	this product. s and carboxylic acids in the intestinal tract, blood ause perceptible health damage in humans. ptible towards air oxidation as the ether oxygens w and consumer products such as soaps, detergents ng on the number of EO-units: es) n) . 67/548/EEC and rats and through the gastrointestinal mucosa of p: lene glycol methyl ether (TGME), and triethylene of ethers is 22 to 34 micrograms/cm2/hr, with the cleus, mouse: negative *** Not mutagenic *** No op] ce a contact dermatitis (nonallergic).
RESENE WALK- ON ALCOHOLS C11-15 SECONDARY ETHOXYLATED 2,2,4-TRIMETHYL- 1,3-PENTANEDIOL MONOISOBUTYRATE Acute Toxicity Skin Irritation/Corrosion	specified data extracted from RTECS - Register of Terms The following information refers to contact allergens Generally,linear and branched-chain alkyl esters are most tissues throughout the body. The acute oral toxicity of propylene glycol is very low Polyethers, for example, ethoxylated surfactants and stabilize intermediary radicals involved. Human beings have regular contact with alcohol ethor and other cleaning products . Alcohol ethoxylates are according to CESIO (2000) C EO < 5 gives Irritant (Xi) with R38 (Irritating to skin) at EO > 5-15 gives Harmful (Xn) with R22 (Harmful if sv EO > 15-20 gives Harmful (Xn) with R22-41 >20 EO is not classified (CESIO 2000) Oxo-AE, C13 EO10 and C13 EO15, are Irritating (Xi) AE are not included in Annex 1 of the list of dangeror In general, alcohol ethoxylates (AE) are readily abso rats. For high boiling ethylene glycol ethers (typically trieth Skin absorption : Available skin absorption data for glycol ethylene ether (TGEE) suggest that the rate of methyl ether having the highest permeation constant Not a skin sensitiser (guinea pig, Magnusson-Kligma effects on fertility or foetal development seen in the r The material may cause skin irritation after prolonger X	Toxic Effect of chemical Substances as a group and may not be specific to the hydrolysed to their component alcoholic v, and large quantities are required to ca d polyethylene glycols, are highly susce oxylates through a variety of industrial a classified as Irritant or Harmful dependi and R41 (Risk of serious damage to eye wallowed) - R38/41 i) with R36/38 (Irritating to eyes and skii ous substances of the Council Directive orbed through the skin of guinea pigs ar hylene- and tetraethylene glycol ethers) triethylene glycol ether (TGBE), triethyl of absorption in skin of these three glyco t and the butyl ether having the lowest. an) *** Armes Test: negative *** Micronu- rat *** * [SWIFT] ** [Eastman] *** [Perst ged contact causing inflammation. d or repeated exposure and may produ Carcinogenicity Reproductivity	this product. s and carboxylic acids in the intestinal tract, blood ause perceptible health damage in humans. ptible towards air oxidation as the ether oxygens w and consumer products such as soaps, detergents ng on the number of EO-units: es) n) . 67/548/EEC and rats and through the gastrointestinal mucosa of the ene glycol methyl ether (TGME), and triethylene le ethers is 22 to 34 micrograms/cm2/hr, with the cleus, mouse: negative *** Not mutagenic *** No op] ce a contact dermatitis (nonallergic).

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
RESENE WALK- ON	Not Available	Not Available	Not Available	Not Available	Not Available

alcohols C11-15 secondary	Endpoint	Endpoint Test Duration (hr)		Species	Value	Source
ethoxylated	NOEC(ECx)	672h		Crustacea	0.08mg/l	2
			1			1
	Endpoint	Test Duration (hr)	Species		Value	Source
	EC50	72h	Algae or other aq	uatic plants	15mg/l	Not Available
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	EC50	48h Crustacea		>19mg/l	2	
	NOEC(ECx)	72h	Algae or other aq	uatic plants	3.28mg/l	1
	LC50	96h	Fish		16mg/l	Not Available
Legend:		UCLID Toxicity Data 2. Europe Aquatic Toxicity Data 5. ECET				
Legend:	Ecotox database -					

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation	
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW (LogKOW = 2.9966)	

Mobility in soil

Mobility III 301	
Ingredient	Mobility
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW (KOC = 22.28)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. DO NOT allow wash water from cleaning or process equipment to enter drains. Recycle wherever possible or consult manufacturer for recycling options. Consult manufacturer for recycling option. Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information. Or contact a Local Authority for the disposal information. Do not discharge the substance into the environment.

SECTION 14 Transport information

Labels Required	
Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
alcohols C11-15 secondary ethoxylated	Not Available
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
alcohols C11-15 secondary ethoxylated	Not Available

Page 7 of 7

DESENE WALK- ON

	RESENE WALK- ON
Ship Type	
Not Available	
ormation	
tal regulations	/ legislation specific for the substance or mixture
xylated is found	on the following regulatory lists
rmation System (HCIS) - Hazardous Chemicals Australian Inventory of Industrial Chemicals (AIIC)
onoisobutyrate	is found on the following regulatory lists
nemicals (AIIC)	
Status	
Yes	
Yes	
Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.	
ion	
07/09/2022	
27/09/2016	
Date of Update	Sections Updated
	Sections Updated Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Advice to Doctor, Chronic Health, Classification, Environmental, Exposure Standard, Fire Fighter (extinguishing media), First Aid (swallowed), Personal Protection (Respirator), Personal Protection (hands/feet), Physical Properties, Spills (major), Spills (minor), Storage (storage incompatibility), Use
	Not Available ormation ttal regulations xylated is found tration System (nonoisobutyrate hemicals (AIIC) Status Yes Yes Yes Yes = All CAS No = One or n tion 07/09/2022

LOD: Limit Of Detection OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

ECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.

end of SDS