RESENE FILMPRO

Resene Paints Ltd

Version No: 2.4

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: **18/02/2022**Print Date: **18/02/2022**L.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

| Product Identifier | | |
|-------------------------------|--|--|
| Product name | Product name RESENE FILMPRO | |
| Synonyms | Incl. White, Set Black, Tint Base, Digital Blue, Digital Green | |
| Other means of identification | Not Available | |

Relevant identified uses of the substance or mixture and uses advised against

| 3911, 10489, 10982, 10983 |
|---------------------------|
| 35 |

Details of the supplier of the safety data sheet

| • | • | |
|---|---|--|
| Registered company name | Resene Paints Ltd | |
| Address | 32-50 Vogel Street Wellington New Zealand | |
| Telephone | +64 4 577 0500 | |
| Fax | +64 4 5773327 | |
| Website | www.resene.co.nz | |
| Email | advice@resene.co.nz | |

Emergency telephone number

| Association / Organisation | NZ POISONS (24hr 7 days) | CHEMWATCH EMERGENCY RESPONSE |
|-----------------------------------|--------------------------|------------------------------|
| Emergency telephone numbers | 0800 764766 | +64 800 700 112 |
| Other emergency telephone numbers | Not Available | +61 2 9186 1132 |

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

| Classification | of the | substance | or | mixture | |
|----------------|--------|-----------|----|---------|--|

| Classification [1] | Hazardous to the Aquatic Environment Long-Term Hazard Category 3 | | |
|---|--|--|--|
| Legend: | 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI | | |
| Determined by Chemwatch using GHS/HSNO criteria | 9.1C | | |

Label elements

| Hazard pictogram(s) | Not Applicable |
|---------------------|----------------|
| | |
| Signal word | Not Applicable |

Hazard statement(s)

| nazaru statementoj | | | |
|--------------------|--|--|--|
| H412 | Harmful to aquatic life with long lasting effects. | | |

Precautionary statement(s) Prevention

| D070 | A |
|------|----------------------------------|
| P2/3 | Avoid release to the environment |

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

| P501 | Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation. |
|------|--|
|------|--|

SECTION 3 Composition / information on ingredients

Version No: **2.4** Page **2** of **7** Issue Date: **18/02/2022**

RESENE FILMPRO

Print Date: 18/02/2022

Substances

See section below for composition of Mixtures

Ingredients are required by the Hazard Substances (Safety Data Sheets) Notice 2017, EPA consolidation 30 April 2021 to be identified:

Mixtures

| CAS No | %[weight] | Name |
|--|-----------|---------------------------------------|
| 68131-40-8 | 0.1-1 | alcohols C11-15 secondary ethoxylated |
| 68439-50-9 | 0.1-1 | alcohols C12-14 ethoxylated |
| Legend: 1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available | | |

SECTION 4 First aid measures

Description of first aid measures

| Eye Contact If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. | |
|--|---|
| Skin Contact | If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

 $\ensuremath{\,^{\blacktriangleright}\,}$ There is no restriction on the type of extinguisher which may be used.

None known.

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| Advice for firefighters | |
|-------------------------|---|
| Fire Fighting | ▶ Use water delivered as a fine spray to control fire and cool adjacent area. |
| Fire/Eyplosion Hazard | ▶ Non combuctible |

SECTION 6 Accidental release measures

Fire Incompatibility

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| IVIC | methods and material for containment and cleaning up | | |
|------|--|--|--|
| | Minor Spills | Control personal contact with the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean-up. | |
| | Major Spills | Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear appropriate personnel protective equipment and clothing to prevent exposure. Avoid breathing in mists or vapours and skin or eyes contact. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sawdust, sand, earth, inert material or vermiculite then place in suitable, labelled container for waste disposal. Wipe up. Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services. | |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Version No: 2.4 Page 3 of 7 Issue Date: 18/02/2022 Print Date: 18/02/2022

RESENE FILMPRO

| Safe handling | Limit all unnecessary personal contact. | |
|-------------------|---|--|
| Other information | | |
| | | |

Conditions for safe storage, including any incompatibilities

| Suitable container | Polyethylene or polypropylene container. |
|-------------------------|--|
| Storage incompatibility | None known |

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|---------------------------------------|---------------|---------------|---------------|---------------|
| RESENE FILMPRO | Not Available | Not Available | | Not Available |
| Ingradiant | Original IDLU | | Revised IDLH | |
| Ingredient | Original IDLH | | Revised IDLH | |
| alcohols C11-15 secondary ethoxylated | Not Available | | Not Available | |
| alcohols C12-14 ethoxylated | Not Available | | Not Available | |

Occupational Exposure Banding

| Ingredient | Occupational Exposure Band Rating Occupational Exposure Band Limit | |
|---------------------------------------|--|-----------|
| alcohols C11-15 secondary ethoxylated | Е | ≤ 0.1 ppm |
| alcohols C12-14 ethoxylated | E ≤ 0.1 ppm | |
| Notes: | Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health. | |

MATERIAL DATA

Exposed individuals are NOT reasonably expected to be warned, by smell, that the Exposure Standard is being exceeded.

Exposure controls

| Aposure controls | |
|----------------------------------|--|
| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. |
| Personal protection | |
| Eye and face protection | ▶ Safety glasses with side shields |
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. |
| Body protection | See Other protection below |
| Other protection | No special equipment needed when handling small quantities. |

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Acrylic dispersion | | |
|-----------------|--------------------|---|---------------|
| Physical state | Liquid | Relative density (Water = 1) | 1.14-1.35 |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |

 Version No: 2.4
 Page 4 of 7
 Issue Date: 18/02/2022

 Print Date: 18/02/2022
 Print Date: 18/02/2022

RESENE FILMPRO

| | 1 | | 1 |
|--|---------------|--------------------------------------|---------------|
| pH (as supplied) | 8-9 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | 100 | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Miscible | pH as a solution (Not Available%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | <55 |

SECTION 10 Stability and reactivity

| Reactivity | See section 7 |
|------------------------------------|---|
| Chemical stability | Product is considered stable and hazardous polymerisation will not occur. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 Toxicological information

| Information on toxicological effects | |
|--------------------------------------|--|
| | |

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). |
|--------------|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). |
| Еуе | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). |
| Chronic | Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. |

| RESENE FILMPRO | TOXICITY | | IRRITATION |
|----------------|---------------|-----------|---------------|
| | Not Available | | Not Available |
| | | | |
| | TOXICITY | IRRITATIO | N |

| alcohols C11-15 secondary |
|---------------------------|
| ethoxylated |
| |

| TOXICITY | IRRITATION |
|---|--|
| dermal (rat) LD50: >2000 mg/kg ^[1] | Eye: no adverse effect observed (not irritating) ^[1] |
| Oral (Rat) LD50; >=2000 mg/kg ^[1] | Skin (rabbit): 500 mg(open) mild |
| | Skin: no adverse effect observed (not irritating) ^[1] |

alcohols C12-14 ethoxylated

| TOXICITY | IRRITATION |
|--|--|
| dermal (rat) LD50: >=2000 mg/kg ^[1] | Eye (rabbit): irritant * |
| Inhalation(Rat) LC50; >1.6 mg/l4h ^[1] | Eye: no adverse effect observed (not irritating) ^[1] |
| Oral (Rat) LD50; >2000 mg/kg ^[1] | Skin (rabbit): irritant * |
| | Skin: no adverse effect observed (not irritating) ^[1] |

Version No: 2.4 Page 5 of 7 Issue Date: 18/02/2022

RESENE FILMPRO

Print Date: 18/02/2022

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

ALCOHOLS C11-15 SECONDARY ETHOXYLATED

Polyethers, for example, ethoxylated surfactants and polyethylene glycols, are highly susceptible towards air oxidation as the ether oxygens will stabilize intermediary radicals involved.

ALCOHOLS C12-14

BASF Canada ** [Henkel CCINFO 1450373]

ETHOXYLATED

The material may produce severe irritation to the eye causing pronounced inflammation.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic)

Human beings have regular contact with alcohol ethoxylates through a variety of industrial and consumer products such as soaps, detergents, and other cleaning products.

Alcohol ethoxylates are according to CESIO (2000) classified as Irritant or Harmful depending on the number of EO-units:

EO < 5 gives Irritant (Xi) with R38 (Irritating to skin) and R41 (Risk of serious damage to eyes)

EO > 5-15 gives Harmful (Xn) with R22 (Harmful if swallowed) - R38/41 EO > 15-20 gives Harmful (Xn) with R22-41

ALCOHOLS C11-15 SECONDARY ETHOXYLATED & ALCOHOLS C12-14

ETHOXYLATED

>20 EO is not classified (CESIO 2000)

Oxo-AE, C13 EO10 and C13 EO15, are Irritating (Xi) with R36/38 (Irritating to eyes and skin)

AE are not included in Annex 1 of the list of dangerous substances of the Council Directive 67/548/EEC

In general, alcohol ethoxylates (AE) are readily absorbed through the skin of guinea pigs and rats and through the gastrointestinal mucosa of rats.

For high boiling ethylene glycol ethers (typically triethylene- and tetraethylene glycol ethers):

Skin absorption: Available skin absorption data for triethylene glycol ether (TGBE), triethylene glycol methyl ether (TGME), and triethylene glycol ethylene ether (TGEE) suggest that the rate of absorption in skin of these three glycol ethers is 22 to 34 micrograms/cm2/hr, with the methyl ether having the highest permeation constant and the butyl ether having the lowest.

| Acute Toxicity | × | Carcinogenicity | × |
|-----------------------------------|---|--------------------------|---|
| Skin Irritation/Corrosion | × | Reproductivity | × |
| Serious Eye Damage/Irritation | × | STOT - Single Exposure | × |
| Respiratory or Skin sensitisation | × | STOT - Repeated Exposure | × |
| Mutagenicity | × | Aspiration Hazard | × |

Legend:

★ - Data either not available or does not fill the criteria for classification

🛹 – Data available to make classification

SECTION 12 Ecological information

Toxicity

| RESENE FILMPRO | Endpoint | T | est Duration (hr) | | Species | | Value | | Sour | rce |
|---------------------------|-----------------------------|------------|-------------------|---------------------|-------------|--------------|-------------------------|------------------|-----------|--------|
| | Not Available Not Available | | | Not Available Not A | | Not Avai | Available Not Available | | Available | |
| llcohols C11-15 secondary | Endpoint | | Test Duration (h | r) | | Species | | Value | | Source |
| ethoxylated | NOEC(ECx) | 672h | | | | Crustacea | | 0.08mg/l | | 2 |
| | Endpoint | Test Di | uration (hr) | Specie | s | | | Value | | Source |
| | | | | | | | | | | |
| | EC0(ECx) | 72h | | Algae | or other aq | uatic plants | | 0.035n | ng/l | 2 |
| cohols C12-14 ethoxylated | EC0(ECx) | 72h 96h | | Algae o | or other aq | uatic plants | | 0.035n 1.1mg/ | | 2 2 |
| cohols C12-14 ethoxylated | | | | Fish | | uatic plants | | | /1 | |

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|---------------------------------------|
| | No Data available for all ingredients |

Mobility in soil

| Ingredient | Mobility |
|------------|---------------------------------------|
| | No Data available for all ingredients |

Version No: **2.4** Page **6** of **7** Issue Date: **18/02/2022**

RESENE FILMPRO

Print Date: 18/02/2022

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- Recycle wherever possible.

Consult manufacturer for recycling option.

Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information. Or contact a Local Authority for the disposal information. Do not discharge the substance into the environment.

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

Do not allow product or wash water from cleaning or process equipment to enter drains or watercourses. It may be necessary to collect all wash water for treatment before disposal. The generation of waste should be avoided or minimised wherever possible.

Disposal of this product should comply with Hazard Substances (Disposal) Notice 2017 (EPA Consolidation 30 April 2021).

For treating and discharging processes contact your local authority.

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----------------|
| HAZCHEM | Not Applicable |

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group |
|---------------------------------------|---------------|
| alcohols C11-15 secondary ethoxylated | Not Available |
| alcohols C12-14 ethoxylated | Not Available |

Transport in bulk in accordance with the ICG Code

| • | |
|---------------------------------------|---------------|
| Product name | Ship Type |
| alcohols C11-15 secondary ethoxylated | Not Available |
| alcohols C12-14 ethoxylated | Not Available |

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

| HSR Number | Group Standard |
|------------|---|
| HSR002670 | Surface Coatings and Colourants Subsidiary Hazard Group Standard 2020 |

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

alcohols C11-15 secondary ethoxylated is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

alcohols C12-14 ethoxylated is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class | Quantities |
|----------------|----------------|
| Not Applicable | Not Applicable |

Version No: **2.4** Page **7** of **7** Issue Date: **18/02/2022**

RESENE FILMPRO

Print Date: 18/02/2022

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Class of substance | Quantities |
|--------------------|----------------|
| Not Applicable | Not Applicable |

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

| Hazard Class | Gas (aggregate water capacity in mL) | Liquid (L) | Solid (kg) | Maximum quantity per package for each classification |
|----------------|--------------------------------------|----------------|----------------|--|
| Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

Tracking Requirements

Not Applicable

National Inventory Status

| National Inventory | Status |
|--|--|
| Australia - AIIC / Australia Non-Industrial Use | Yes |
| New Zealand - NZIoC | Yes |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

| Revision Date | 18/02/2022 |
|---------------|------------|
| Initial Date | 10/06/2020 |

SDS Version Summary

| Version | Date of Update | Sections Updated |
|---------|----------------|------------------|
| 1.4 | 17/02/2022 | Use |

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancel

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List

NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory

NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.