RESENE LUMBERSIDER TESTPOTS

Resene Paints LTD

Version No: 3.8

Safety Data Sheet according to the Health and Safety at Work (Hazardous Substances) Regulations 2017

Issue Date: **09/02/2022**Print Date: **09/02/2022**L.GHS.NZL.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	Product name RESENE LUMBERSIDER TESTPOTS	
Synonyms	Any colours	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions.

Details of the supplier of the safety data sheet

• •		
Registered company name	Resene Paints LTD	
Address	32-50 Vogel Street Wellington 5011 New Zealand	
Telephone	64 4 5770500	
Fax	+64 4 5773327	
Website	www.resene.co.nz	
Email	advice@resene.co.nz	

Emergency telephone number

	Association / Organisation	NZ POISONS (24hr 7days)	CHEMWATCH EMERGENCY RESPONSE
	Emergency telephone numbers	0800 764766	+64 800 700 112
	Other emergency telephone numbers	Not Available	+61 2 9186 1132

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification

Classification	of the	substance	or	mixture

Classification [1]	Hazardous to the Aquatic Environment Long-Term Hazard Category 4	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	
Determined by Chemwatch using GHS/HSNO criteria	9.1D	

Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

H413	May cause long lasting harmful effects to aquatic life.	

Precautionary statement(s) Prevention

P273 Avoid release to the environment.

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Version No: 3.8 Page 2 of 7 Issue Date: 09/02/2022

RESENE LUMBERSIDER TESTPOTS

Print Date: 09/02/2022

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
25265-77-4	<2	2.2.4-trimethyl-1.3-pentanediol monoisobutyrate
Legend:	1. Classified by Chemwatch; 2. Classification drawn from CCID EPA NZ; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5 Firefighting measures

Extinguishing media

Alcohol stable foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents
Advice for firefighters	

Fire Fighting

▶ Alert Fire Brigade and tell them location and nature of hazard.

Fire/Explosion Hazard

Non combustible. Burning release: carbon dioxide (CO2)

other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

	h the substance, by using personal protective equipment. Contain spill with sawdust, sand, earth, inert material or table, labelled container for waste disposal. Wipe up. Clean area with large quantity of water to complete clean-up.
--	--

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	Avoid unnecessary personal contact.
Other information	► Store in original containers.

Version No: **3.8** Page **3** of **7** Issue Date: **09/02/2022**

RESENE LUMBERSIDER TESTPOTS

Print Date: 09/02/2022

Conditions for safe storage, including any incompatibilities

Suitable container	
Storage incompatibility	► Oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	13 mg/m3	140 mg/m3		840 mg/m3
Ingredient	Original IDLH		Revised IDLH	

Ingredient	Original IDLH	Revised IDLH
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available	Not Available

MATERIAL DATA

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	► Safety glasses with side shields
Skin protection	See Hand protection below
Hands/feet protection	No special measures required.
Body protection	No special measures required.
Respiratory protection	No special measures required.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Coloured acrylic dispersion		
Physical state	Liquid	Relative density (Water = 1)	1.2-1.4
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8-9	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	1100-1200
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available BuAC = 1	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	60-61
Vapour pressure (kPa)	Not Available	Gas group	Not Available

Version No: **3.8** Page **4** of **7** Issue Date: **09/02/2022**

RESENE LUMBERSIDER TESTPOTS

Print Date: **09/02/2022**

Solubility in water	Miscible	pH as a solution (Not	Not Available		
Vapour density (Air = 1)	Not Available	Available%) VOC g/L	<40		
vapour density (All = 1)	Not Available	V00 9/2	140		
ECTION 10 Stability and re	eactivity				
Reactivity	See section 7				
Chemical stability	► stable.				
Possibility of hazardous reactions	See section 7				
Conditions to avoid	See section 7				
Incompatible materials	See section 7				
Hazardous decomposition products	See section 5				
ECTION 11 Toxicological i	nformation				
formation on toxicological e	TECTS				
		The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).			
Inhaled	,	or irritation of the respiratory tract (as clas	sified by EC Directives using animal		
Inhaled	,				
	models).	er classification systems as 'harmful by in	gestion'.		
Ingestion	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models).	er classification systems as 'harmful by in or skin irritation following contact (as class this material	gestion'. sified by EC Directives using animal		
Ingestion Skin Contact	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classifie	er classification systems as 'harmful by in or skin irritation following contact (as class this material	gestion'. sified by EC Directives using animal		
Ingestion Skin Contact Eye Chronic	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classifie characterised by tearing or conjunctival redness (as with wind Not established	er classification systems as 'harmful by in or skin irritation following contact (as class this material	gestion'. sified by EC Directives using animal		
Ingestion Skin Contact Eye Chronic RESENE LUMBERSIDER	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classified characterised by tearing or conjunctival redness (as with wind Not established	er classification systems as 'harmful by in or skin irritation following contact (as class this material I by EC Directives), direct contact with the burn).	gestion'. sified by EC Directives using animal		
Ingestion Skin Contact Eye Chronic	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classifie characterised by tearing or conjunctival redness (as with wind Not established	er classification systems as 'harmful by in or skin irritation following contact (as class this material	gestion'. sified by EC Directives using animal		
Ingestion Skin Contact Eye Chronic RESENE LUMBERSIDER	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classified characterised by tearing or conjunctival redness (as with wind Not established	er classification systems as 'harmful by in or skin irritation following contact (as class this material I by EC Directives), direct contact with the burn).	gestion'. sified by EC Directives using animal		
Ingestion Skin Contact Eye Chronic RESENE LUMBERSIDER	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classifie characterised by tearing or conjunctival redness (as with wind Not established TOXICITY Not Available	er classification systems as 'harmful by in or skin irritation following contact (as class this material I by EC Directives), direct contact with the burn). IRRITATION Not Available	gestion'. Sified by EC Directives using animal e eye may produce transient discomfort		
Ingestion Skin Contact Eye Chronic RESENE LUMBERSIDER	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classifie characterised by tearing or conjunctival redness (as with wind Not established TOXICITY Not Available	er classification systems as 'harmful by in or skin irritation following contact (as class this material I by EC Directives), direct contact with the ourn). IRRITATION Not Available IRRITATION	gestion'. Sified by EC Directives using animal e eye may produce transient discomfort		
Ingestion Skin Contact Eye Chronic RESENE LUMBERSIDER TESTPOTS	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classifie characterised by tearing or conjunctival redness (as with wind Not established TOXICITY Not Available TOXICITY dermal (guinea pig) LD50: >19 mg/kg ^[2]	er classification systems as 'harmful by in or skin irritation following contact (as class this material I by EC Directives), direct contact with the burn). IRRITATION Not Available IRRITATION Eye: no adverse effect observed (no	gestion'. Sified by EC Directives using animal e eye may produce transient discomfort		
Ingestion Skin Contact Eye Chronic RESENE LUMBERSIDER TESTPOTS 2,2,4-trimethyl-1,3-pentanediol	models). The material has NOT been classified by EC Directives or oth The material is not thought to produce adverse health effects models). Open cuts, abraded or irritated skin should not be exposed to Although the liquid is not thought to be an irritant (as classifie characterised by tearing or conjunctival redness (as with wind Not established TOXICITY Not Available TOXICITY dermal (guinea pig) LD50: >19 mg/kg ^[2]	er classification systems as 'harmful by in or skin irritation following contact (as class this material I by EC Directives), direct contact with the burn). IRRITATION Not Available IRRITATION Eye: no adverse effect observed (no Eyes - Moderate irritant *	gestion'. Sified by EC Directives using animal e eye may produce transient discomfort		

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

RESENE LUMBERSIDER	
TESTPOTS	

The following information refers to contact allergens as a group and may not be specific to this product.

Generally, linear and branched-chain alkyl esters are hydrolysed to their component alcohols and carboxylic acids in the intestinal tract, blood and most tissues throughout the body.

2,2,4-TRIMETHYL-1,3-PENTANEDIOL MONOISOBUTYRATE

Not a skin sensitiser (guinea pig, Magnusson-Kligman) *** Ames Test: negative *** Micronucleus, mouse: negative *** Not mutagenic *** No effects on fertility or foetal development seen in the rat *** * [SWIFT] ** [Eastman] *** [Perstop]

The material may be irritating to the eye, with prolonged contact causing inflammation.

The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic).

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

🗶 – Data either not available or does not fill the criteria for classification

Data available to make classification

Version No: **3.8** Page **5** of **7** Issue Date: **09/02/2022**

RESENE LUMBERSIDER TESTPOTS

Print Date: 09/02/2022

Toxicity

RESENE LUMBERSIDER	Endpoint	Endpoint Test Duration (hr)		Species	Value	Sc	Source	
TESTPOTS	Not Available	Not Available	1	Not Available	Not Available	No	ot Available	
	Endpoint	Test Duration (hr)	Spec	ies		Value	Source	
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LC50	96h	Fish	Fish		>19mg/l	2	
	EC50	72h	Algae	Algae or other aquatic plants		18.4mg/l	1	
monoisobutyrate	EC50	48h	Crust	tacea		>19mg/l	2	
	NOEC(ECx)	72h	Algae	e or other aquatic pl	ants	3.28mg/l	1	
Legend:		JCLID Toxicity Data 2. Europe EC Aquatic Toxicity Data 5. ECETOC	•		•	,	•	

May cause long-term adverse effects in the aquatic environment.

Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark.

- Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation	
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW (LogKOW = 2.9966)	

Mobility in soil

Ingredient	Mobility
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	LOW (KOC = 22.28)

SECTION 13 Disposal considerations

Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

- DO NOT allow wash water from cleaning or process equipment to enter drains
- ▶ Recycle wherever possible or consult manufacturer for recycling options.

Product / Packaging disposal

Consult manufacturer for recycling option.

Resene Paintwise accepts residual unwanted paint and packaging. See Resene website for Paintwise information. Or contact a Local Authority for the disposal information. Do not discharge the substance into the environment.

Disposal Requirements

Packages that have been in direct contact with the hazardous substance must be only disposed if the hazardous substance was appropriately removed and cleaned out from the package.

Do not allow product or wash water from cleaning or process equipment to enter drains or watercourses. It may be necessary to collect all wash water for treatment before disposal. The generation of waste should be avoided or minimised wherever possible.

Disposal of this product should comply with Hazard Substances (Disposal) Notice 2017 (EPA Consolidation 30 April 2021).

For treating and discharging processes contact your local authority.

SECTION 14 Transport information

Labels Required

in		
Marine Pollutant	NO	
HAZCHEM	Not Applicable	

Land transport (UN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Version No: **3.8** Page **6** of **7** Issue Date: **09/02/2022**

RESENE LUMBERSIDER TESTPOTS

Print Date: 09/02/2022

Product name	Group
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
2,2,4-trimethyl-1,3-pentanediol monoisobutyrate	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

This substance is to be managed using the conditions specified in an applicable Group Standard

HSR Number	Group Standard
HSR002670	Surface Coatings and Colourants Subsidiary Hazard Group Standard 2020

Please refer to Section 8 of the SDS for any applicable tolerable exposure limit or Section 12 for environmental exposure limit.

2,2,4-trimethyl-1,3-pentanediol monoisobutyrate is found on the following regulatory lists

New Zealand Approved Hazardous Substances with controls

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification
of Chemicals

New Zealand Hazardous Substances and New Organisms (HSNO) Act - Classification of Chemicals - Classification Data

New Zealand Inventory of Chemicals (NZIoC)

Hazardous Substance Location

Subject to the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Quantities
Not Applicable	Not Applicable

Certified Handler

Subject to Part 4 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Class of substance	Quantities
Not Applicable	Not Applicable

Refer Group Standards for further information

Maximum quantities of certain hazardous substances permitted on passenger service vehicles

Subject to Regulation 13.14 of the Health and Safety at Work (Hazardous Substances) Regulations 2017.

Hazard Class	Gas (aggregate water capacity in mL)	Liquid (L)	Solid (kg)	Maximum quantity per package for each classification
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Tracking Requirements

Not Applicable

National Inventory Status

•				
National Inventory	Status			
Australia - AIIC / Australia Non-Industrial Use	Yes			
New Zealand - NZIoC	Yes			
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.			

SECTION 16 Other information

Revision Date	09/02/2022
Initial Date	06/10/2015

SDS Version Summary

Version	Date of Update	Sections Updated
2.8	08/02/2022	Acute Health (inhaled), Advice to Doctor, Classification, Disposal, Environmental, Fire Fighter (extinguishing media), Fire Fighter (fire/explosion hazard), Fire Fighter (fire fighting), Fire Fighter (fire incompatibility), First Aid (swallowed), Handling Procedure, Ingredients, Personal Protection (Respirator), Personal Protection (hands/feet), Spills (major), Spills (minor), Storage (storage incompatibility), Storage (storage requirement), Storage (suitable container)

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Version No: **3.8** Page **7** of **7** Issue Date: **09/02/2022**

RESENE LUMBERSIDER TESTPOTS

Print Date: 09/02/2022

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard
OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.