

**NB. This chart is from the  
Resene historical file.  
Please refer to current  
Resene colour charts  
for the latest colour options**

*Resene*

**HI-GLO**

**LATEX HOUSE PAINT**

FOR WEATHERBOARDS AND ALL  
EXTERIOR SURFACES


# Resene HI-GLO Latex House Paint - For All Exterior Painting



**MIST GREY**  
(MIST GREY UNDERCOAT)



**FLAME**  
(DUSKY PINK UNDERCOAT)



**SHADOW CLUE**  
(MIST GREY UNDERCOAT)




**PRIMROSE**  
(WHITE UNDERCOAT)



**SHERWOOD GREEN**  
(LAUREL UNDERCOAT)



**DUSKY PINK**  
(DUSKY PINK UNDERCOAT)



**OLIVETTE**  
(LAUREL UNDERCOAT)



**BAMBOO**  
(BAMBOO UNDERCOAT)



**LEATHER**  
(DUSKY PINK UNDERCOAT)



**LIGHT IVORY**  
(WHITE UNDERCOAT)



**SHALE**  
(MIST GREY UNDERCOAT)



**ICE BLUE**  
(WHITE UNDERCOAT)



**DRESDEN BLUE**  
(MIST GREY UNDERCOAT)



**LAUREL**  
(LAUREL UNDERCOAT)



**SKY BLUE**  
(MIST GREY UNDERCOAT)



**CHARTREUSE**  
(WHITE UNDERCOAT)

The colours on this card are as close to the actual paint colours as modern printing processes allow

Also in **BLACK & WHITE**



# Resene HI-GLO

## LATEX HOUSE PAINT

*Recommended for Weatherboard Houses  
and all exterior surfaces*

**FASHION COLOURS:** Made in 16 beautiful standard colours and 45 intermixable shades (see new Hi-Glo intermix colour chart).

**EASY TO APPLY:** Brushes on effortlessly, with no runs, no drag, no brush or sag marks. Can even be applied with a 6-inch brush.

**START AND STOP ANYWHERE:** Leaves no lap marks. You can touch up skips and misses easily.

**QUICK DRYING:** Hi-Glo is touch-dry in 20 minutes, and a second coat may be applied after just one hour.

**ALL SURFACES:** Although formulated primarily for weatherboards, Hi-Glo can be applied to any exterior surface, making it the ideal "all round" exterior paint. Coverage is 600 to 700 sq. ft. per gallon.

**HIGH GLOSS:** Hi-Glo has very high gloss retention, and the gloss lasts longer.

**NO MESS — NO CLEAN UP:** Brushes simply wash out in water. Spots and drips can be wiped up easily before drying with a damp cloth.

**PAINT ANY TIME:** Hi-Glo can be applied outside on winter nights or hot summer days. Quick-drying Hi-Glo prevents work being spoiled by weather changes.

### **FOLLOW DIRECTIONS ON THE TIN**

Manufactured by  
**STIPPLECOTE PRODUCTS LIMITED**  
Wellington, N.Z.